



Bibliography on Tropical Tuber crops

(July-December 2011)

CASSAVA

- Acquah, W. E., Quain, D. M. and Twumasi, P. 2011. Genetic relationships between some released and elite Ghanaian cassava cultivars based on distance matrices. *African J. Biotechnol.*, 10(6): 913-921.
- Adegunwa, M. O., Sanni, L. O. and Maziya-Dixon, B. 2011. Effects of fermentation length and varieties on the pasting properties of sour cassava starch. *African J. Biotechnol.*, 10(42): 8428-8433.
- Adeniji, O. T., Odo, P. E. and Ibrahim, B. 2011. Genetic relationships and selection indices for cassava root yield in Adamawa State, Nigeria. *African J. Agric. Res.*, 6(13): 2931-2934.
- Adriko, J., Sserubombwe, W. S., Adipala, E., Bua, A., Thresh, J. M. and Edema, R. 2011. Response of improved cassava varieties in Uganda to cassava mosaic disease (CMD) and their inherent resistance mechanisms. *African J. Agric. Res.*, 6(3): 621-531.
- Akoja, S. S. and Mohammed, A. O. 2011. Evaluation of the proximate, pasting and sensory characteristics of cassava flour (Fufu) fortified with pigeon pea flour. *Pakistan J. Nutr.*, 10(2): 124-128.
- Amiteye, S., Corral, J. M. and Sharbel, T. F. 2011. Overview of the potential of microRNAs and their target gene detection for cassava (*Manihot esculenta*) improvement. *African J. Biotechnol.*, 10(14): 2562-2573.
- Anitha Jose, Maksheshkumar, T. and Edison, S. 2011. Survey of cassava mosaic disease in Kerala. *J. Root Crops.*, 37(1): 41-47.
- Aro, S. O., Odejayi, O. J., Aletor, V. A., Ashimi, A. A., Adeboye, A. A. and Usifo, B. 2011. Dynamics of temperature and time in the bio-conversion of cassava peels collected from a local gari processing factory in Nigeria. *Livestock Res. Rural Develop.* 23(7).
- Bang, T. C. D., Raji, A. A. and Ingelbrecht, I. L. 2011. A multiplex microsatellite marker kit for diversity assessment of large cassava (*Manihot esculenta* Crantz) germplasm collections. *Plant Mol. Biol. Reporter*, 29(3): 655-662.
- Bradbury, J. H. and Denton, I. C. 2011. Mild methods of processing cassava leaves to remove cyanogens and conserve key nutrients. *Food Chem.*, 127(4): 1755-1759.
- Cappelletti, B. M., Reginatto, V., Amante, E. R. and Antonio, R.V. 2011. Fermentative production of hydrogen from cassava processing wastewater by *Clostridium acetobutylicum*. *Renewable Energy*, 36(12): 3367-3372.
- Charoenkul, N., Uttapap, D., Pathipanawat, W. and Takeda, Y. 2011. Physicochemical characteristics of starches and flours from cassava varieties having different cooked root textures. *LWT Food Sci. Technol.*, 44(8): 1774-1781.
- Dias, A. R. G., Zavareze, E. D. R., Helbig, E., Moura, F. A. D., Vargas, C. G. and Ciacco, C. F. 2011. Oxidation of fermented cassava starch using hydrogen peroxide. *Carbohydr. Polym.*, 86(1): 185-191.
- Eleazu, C. O., Amajor, J. U., Ikpeama, A. I. and Awa, E. 2011. Studies on the nutrient composition, antioxidant activities, functional properties and microbial load of the flours of 10 elite cassava (*Manihot esculenta*) varieties. *Asian J. Clinical Nutr.*, 3(1): 33-39.

- Etonihu, A. C., Olajubu, O., Ekanem, E. O. and Bako, S. S. 2011. Titrimetric evaluation of cyanogenes in parts of some Nigerian cassava species. *Pakistan J. Nutr.*, 10(3): 260-263.
- Fletcher, E.K.A., Amoako, T.N.E. and Twumasi, P. 2011. Effect of 2,4-D, explants type and cultivar on the callogenesis expression of cassava (*Manihot esculenta* Crantz) in Ghana. *African J. Biotechnol.*, 10(46): 9396-9401.
- Gbadegesin, A. S., Abua, M. A. and Atu, J. E. 2011. Variation in soil properties on cassava production in the coastal area of Southern Cross River state, Nigeria. *J. Geogr. Geol.*, 3(1).
- Gisloti, L., and do Prado, A.P. 2011. Cassava shoot infestation by larvae of *Neosilba perezi* (Romero & Ruppell) (Diptera: Lonchaeidae) in Sao Paulo State, Brazil. *Neotropical Entomol.*, 40(3): 312-315.
- Gonzalez, C., Perez, S., Cardoso, C. E., Andrade, R. and Johnson, N. 2011. Analysis of diffusion strategies in northeast Brazil for new cassava varieties with improved nutritional quality. *Expl. Agric.*, 47(3): 539-552.
- Hou, C., Chen, Y., Chen, W. and Li, W. 2011. Microwave-assisted methylation of cassava starch with dimethyl carbonate. *Carbohydr. Res.*, 346(9): 1178-1181.
- Ihediohanma, N. C. 2011. Determination of the glycemic indices of three different cassava granules (Garri) and the effect of fermentation period on their glycemic responses. *Pakistan J. Nutr.*, 10(1): 6-9.
- Kamau, J., Melis, R., Laing, M., Derera, J., Shanahan, P. and Ngugi, E. 2010. Combining the yield ability and secondary traits of selected cassava genotypes in the semi-arid areas of Eastern Kenya. *J. Pl. Breeding Crop Sci.*, 2(7): 181-191.
- Kamau, J., Melis, R., Laing, M., Derera, J., Shanahan, P. and Ngugi, E.C.K. 2011. Farmers' participatory selection for early bulking cassava genotypes in semi-arid Eastern Kenya. *J. Pl. Breeding Crop Sci.*, 3(3): 44-52.
- Kaplinsky, R., Terheggen, A. and Tijaja, J. 2011. China as a final market: the gabon timber and Thai cassava value chains. *World Dev.*, 39(7): 1177-1190.
- Kawuki, R. S., Nuwamanya, E., Labuschagne, M. T., Herselman, L. and Ferguson, M. E. 2011. Segregation of selected agronomic traits in six S1cassava families. *J. Pl. Breeding Crop Sci.*, 3(8): 154-160.
- Kawuki, R. S., Pariyo, A., Amuge, T., Nuwamanya, E., Ssemakula, G., Tumwesigye, S., Bua, A., Baguma, Y., Omongo, C., Alicai, T. and Orone, J. 2011. A breeding scheme for local adoption of cassava (*Manihot esculenta* Crantz). *J. Pl. Breeding Crop Sci.*, 3(7): 120-130.
- Lekha, S. S., Silva, J. A. T. D. and Pillai, S. V. 2011. Genetic variability studies between released varieties of cassava and central Kerala cassava collections using SSR markers. *J. Stored Prod. Postharvest Res.*, 2(4): 79-92.
- Leonel., M., de Souza, L.B. and Mischan, M.M. 2011. Thermal and pasting properties of cassava starch-dehydrated orange pulp blends. *Scientia Agricola.*, 68(3): 342-346.
- Liao, Z., Huang, Z., Hu, H., Zhang, Y. and Tan, Y. 2011. Microscopic structure and properties changes of cassava stillage residue pretreated by mechanical activation. *Bioresource Technol.*, 102(17): 7953-7958.
- Lin, H. J., Xian, L., Zhang, Q. J., Luo, X. M., Xu, Q. S., Yang, Q., Duan, C. J., Liu, J. L., Tang, J. L. and Feng, J. X. 2011. Production of raw cassava starch-degrading enzyme by *Penicillium* and its use in conversion of raw cassava flour to ethanol. *J. Ind. Microbiol. Biotechnol.*, 38(6).
- Luo, X. and Huang, Q. 2011. Relationships between leaf and stem soluble sugar content and tuberous root starch accumulation in cassava . *J. Agric. Sci.*, 3(2).
- Ly, N. T. H., Ngoan, L. D., Verstegen, M. W. A. and Hendriks, W. H. 2011. Inclusion of ensiled cassava KM94 leaves in diets for growing pigs in Vietnam reduces growth rate but increases profitability. *Asian-Australasian J. Anim. Sci.*, 24(8).

- Madrigal, L., Sandoval, A. J. and Muller, A.J. 2011. Effects of corn oil on glass transition temperatures of cassava starch. *Carbohydr. Polym.*, 85(4): 875-884.
- Marrero-Degro, J., Marcano-Velazquez, J. and Siritunga, D. 2011. Isolation and characterization of novel β -cyanoalanine synthase and cysteine synthase genes from cassava. *Plant Mol. Biol. Reporter*, 29(3): 514-524.
- Mary Josepha Shery, A. V. and Jayapkakas, C. A. 2011. Whitefly (*Bemisia tabaci* (Genn.)) on cassava: seasonal variations and varietal preference. *J. Root Crops.*, 37(1): 48-53.
- Mitprasat, M., Roytrakul, S., Jiemsup, S., Boonseng, O. and Yokthongwattana, K. 2011. Leaf proteomic analysis in cassava (*Manihot esculenta* Crantz) during plant development, from planting of stem cutting to storage root formation. *Planta*, 233(6): 1209-1221.
- Nandi, J. A., Gunn, P. and Yurkushi, E. N. 2011. Economic analysis of cassava production in Obubra local government area of Cross River State, Nigeria. *Asian J. Agric. Sci.*, 3(3): 205-209.
- Nassar, N. M. A., Ribeiro, D. G., Bomfim, N. N. and Gomes, P. T. C. 2011. *Manihot fortalezensis* Nassar, Ribeiro, Bomfim et Gomes, a new species of Manihot from Ceara, Brazil. *Genetic Resour. Crop Evolution*, 58(6): 831-835.
- Nassar, N. and Bomfim, N. N. 2011. Interesting cassava cultivars. *Gene Conserve*, 10(40): 183-185.
- Nassar, N., Bomfim, N. N. and Elsayed, A. Y. 2011. Some interesting cassava. *Gene Conserve*, 10(40): 186-189.
- Nuwamanya, E., Baguma, Y., Emmambux, N., Taylor, J. and Patrick, R. 2010. Physicochemical and functional characteristics of cassava starch in Ugandan varieties and their progenies. *J. Pl. Breeding Crop Sci.*, 2(1): 001-011.
- Nwilene, F. E., Onasanya, A., Togola, A., Oyetunji, O., Semon, M., Tamo, M., Bright, E. O. and Ofodile, S. 2011. Effect of intercropping maize and cassava with upland NERICA rice varieties on stemborer attack in Southwest Nigeria. *J. Entomol.*, 8(5): 417-428.
- Oliveira, A. F. G., Scapinello, C., Martins, E. N., Jobim, C. C., Monteiro, A. C. and Figueira, J. L. 2011. Effect of half-simplified diets formulated with cassava by-product ensiled or not on performance and carcass characteristics of rabbits. *Acta Scientiarum : Anim. Sci.*, 33(1): 59-64.
- Oluwamukomi, M. O., Oluwalana, I. B. and Akinbowale, O. F. 2011. Physicochemical and sensory properties of wheat-cassava composite biscuit enriched with soy flour. *African J. Food Sci.*, 5(2): 50-56.
- Popoola, K. O. K. and Hassan, A. T. 2011. Insecticidal effects of four plants extract against *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae) in infested dried cassava chips. *Curr. Res. J. Biol. Sci.*, 3(1): 1-5.
- Ramin, M., Yaakub, H., Alimon, A. R. and Jelan, Z. A. 2011. Effects of fungal treatment on the *in vitro* degradation of cassava. *Livestock Res. Rural Dev.*, 23(7).
- Rathakrishnan, P., Nagarajan, P. and Kannana, R. R. 2011. Response surface optimization of medium composition for protease production by *Bacillus subtilis* using cassava waste. *Chem. Ind. Chem. Engng Quarterly*, 17.
- Sayre, R., Beeching, J. R., Cahoon, E. B., Egesi, C., Fauquet, C., Fellman, J., Fregene, M., Gruisse, W., Mallowa, S., Manary, M., Maziya-Dixon, B., Mbanaso, A., Schachtman, D. P., Siritunga, D., Taylor, N., Vanderschuren, H. and Zhang, P. 2011. The biocassava plus program: biofortification of cassava for Sub-Saharan Africa. *A. Rev. Plant Biol.*, 62: 251-272.
- Sholihin, 2011. AMMI Model for interpreting clone-environment interaction in starch yield of cassava. *Hayati J. Biosci.* 18(1): 21-26
- Sukhuman, W., Supanee, P., Supanath, K., Sithichoke, T., Opas, B., David, L. and Kanokporn, T. 2011. A genome

- scan for quantitative trait loci affecting cyanogenic potential of cassava root in an outbred population . *BMC Genomics*, 12(1): 266.
- Vieira, E. A., Fialho, J. D. F., Silva, M. S., Paula-Moraes, S. V. D., Oliveira, C. M. D., Anjos, J. D. R. N. D., Rinaidi, M. M., Fernandes, F. D. and Júnior, R. G. 2011. BRS Japonesa: new sweet cassava cultivar for the Distrito Federal region. *Crop Breeding Appl. Biotechnol.* 11(2): 193-196.
- Wanapat, M., Polyorach, S., Chanthakhoun, V. and Sornsongnern, N. 2011. Yeast-fermented cassava chip protein (YEFECAP) concentrate for lactating dairy cows fed on urea-lime treated rice straw. *Livestock Sci.*, 39(3): 258-263.
- Wang, C. , Lentini, Z., Tabares, E., Quintero, M., Ceballos, H., Dedicova, B., Sautter, C., Olaya, C. and Zhang, P. 2011. Microsporogenesis and pollen formation in cassava. *Biol. Pl.*, 55(3): 469-478.
- Whankaew, S., Kanjanawattanawong, S., Phumichai, C., Smith, D. R., Narangajavana, J. and Triwitayakorn, K. 2011. Cross-genera transferability of (simple sequence repeat) SSR markers among cassava (*Manihot esculenta* Crantz), rubber tree (*Hevea brasiliensis* Muell. Arg.) and physic nut (*Jatropha curcas* L.). *African J. Biotechnol.* 10(10): 1768-1776.
- Wirongrong, T., Lisa, M., Sasitorn, W., Pensiri, S. and Pornchai, R. 2011. Effect of carboxymethyl cellulose concentration on physical properties of biodegradable cassava starch-based films. *Chem. Central J.*, 5(1): 6.
- Yadav, J. S., Ogwok, E., Wagaba, H., Patil, B. L., Bagewadi, B., Alicai, T., Gaitan-Solis, E., Taylor, N. J. and Fauquet, C. M. 2011. RNAi-mediated resistance to cassava brown streak Uganda virus in transgenic cassava. *Mol. Pl. Pathol.* 12(7): 677-687.
- Yingling, B., Li, C., Honglin, W., Xiwen, Y. and Zongcheng, Y. 2011. Multi-objective optimization of bioethanol production during cold enzyme starch hydrolysis in very high gravity cassava mash. *Bioresour. Technol.*, 102(17): 8077-8084.

SWEET POTATO

- Ahmed, M., Akter, M. S. and Eun, J. B. 2011. Optimisation of drying conditions for the extraction of β -carotene, phenolic and ascorbic acid content from yellow-fleshed sweet potato using response surface methodology. *Int. J. Food Sci. Technol.*, 46(7): 1356-1362.
- Albuquerque, L. C., Inoue-Nagata, A. K., Pinheiro, B., Ribeiro, S. D. G., Resende, R. O., Moriones, E. and Navas-Castillo, J. 2011. A novel monopartite begomovirus infecting sweet potato in Brazil. *Arch. Virol.*, 156(7): 1291-1294.
- Binu Hariprakash., Vimala, B. and Mohan, C. 2011. Efficient DNA isolation and electrophoretic methods for molecular analysis of sweet potato. *Gene Conserve*, 10(40): 87-109.
- Biswas, A. K., Sahoo, J. and Chatli, M. K. 2011. A simple UV-vis spectrophotometric method for determination of β -carotene content in raw carrot, sweet potato and supplemented chicken meat nuggets. *LWT Food Sci. Technol.*, 44(8): 1809-1813.
- Falade, K. O., Ighravwe, E. and Ikoyo, S. S. 2011. Physico-chemical characteristics of non-irradiated and -irradiated yams cultivars (*Dioscorea rotundata*, *Dioscorea alata*) and sweet potato (*Ipomoea batatas* (L.) Lam.). *Int. J. Food Sci. Technol.*, 46(6): 1186-1193.
- Hu, W., Jiang, A., Jin, L., Liu, C., Tian, M. and Wang, Y. 2011. Effect of heat treatment on quality, thermal and pasting properties of sweet potato starch during yearlong storage. *J. Sci. Food Agric.*, 91(8): 1499-1504.
- Hwang, Y. P., Choi, J. H., Choi, J. M., Chung, Y. C. and Jeong, H. G. 2011. Protective mechanisms of anthocyanins

- from purple sweet potato against tert-butyl hydroperoxide-induced hepatotoxicity. *Food Chem. Toxicol.*, 49(9): 2081-2089.
- Jyothi, G. K., Padmaja, G., Moorthy, S. N., Suja, G. and Sreekumar, J. 2011. Biochemical changes in cream and orange-fleshed sweet potatoes cooked under different modes. *J. Root Crops*, 37(1): 65-76.
- Liao, W. C., Lai, Y. C., Yuan, M. C., Hsu, Y. L. and Chan, C. F. 2011. Antioxidative activity of water extract of sweet potato leaves in Taiwan. *Food Chem.*, 127(3): 1224-1228.
- Ling, K. S., Harrison, H. F., Simmons, A. M., Zhang, S. C. and Jackson, D. M. 2011. Experimental host range and natural reservoir of sweet potato leaf curl virus in the United States. *Crop Prot.*, 30(8): 1055-1062.
- Okpul, T., Harding, R. M., Dieters, M. J. and Godwin, I. D. 2011. Occurrence of LINE, gypsy-like, and copia-like retrotransposons in the clonally propagated sweet potato (*Ipomoea batatas* L.). *Genome*, 54(7): 603-609.
- Rosas-Ramírez, D., Escalante-Sánchez, E. and Pereda-Miranda, R. 2011. Batatins III-VI, glycolipid ester-type dimers from *Ipomoea batatas*. *Phytochem.*, 72(8): 773-780.
- Singh, N. J. and Pandey, R. K. 2011. Rehydration characteristics and structural changes of sweet potato cubes after dehydration. *Am. J. Food Technol.*, 6(8): 709-716.
- Vimala, B., Bala Nambisan. and Binu Hariprakash. 2011. Retention of carotenoids in orange-fleshed sweet potato during processing. *J. Food Sci. Technol.*, 48(4): 520-524.
- Zhang, S. C. and Ling, K. S. 2011. Genetic diversity of sweet potato begomoviruses in the United States and identification of a natural recombinant between sweet potato leaf curl virus and sweet potato leaf curl Georgia virus. *Arch. Virol.*, 156(6): 955-968.

YAMS

- Abara, A. E. 2011. Proximate and mineral elements composition of the tissue and peel of *Dioscorea bulbifera* tuber. *Pakistan. J. Nutr.*, 10(6): 543-551.
- Abara, A. E., Tawo, E. N., Obi-Abang, M. E. and Obochi, G. O. 2011. Dietary fibre components of four common Nigerian *Dioscorea* species. *Pakistan. J. Nutr.*, 10(4): 383-387.
- Alinnor, I. J. and Akalezi, C. O. 2010. Proximate and mineral compositions of *Dioscorea rotundata* (white yam) and *Colocasia esculenta* (white cocoyam). *Pakistan. J. Nutr.*, 9(10): 998-1001.
- Amanze, N. J., Agbo, N. J., Eke-Okoro, O. N. and Njoku, D. N. 2011. Selection of yam seeds from open pollination for adoption in yam (*Dioscorea rotundata* Poir) production zones in Nigeria. *J. Pl. Breeding Crop Sci.*, 3(4): 68-73.
- Beckford, C., Campbell, D. and Barker, D. 2011. Sustainable food production systems and food security: economic and environmental imperatives in yam cultivation in Trelawny, Jamaica. *Sustainability*, 3: 541-561.
- Daniel, I. O. 2011. Exploring storage protocols for yam (*Dioscorea* spp.) pollen genebanking. *African J. Biotechnol.*, 10(42): 8306-8311.
- Dhanya, J., Rajitha, M., Dhanya, M. K., Hegde, V. and Jeeva, M. L. 2011. *In vitro* growth response of different varieties of grater yam (*Dioscorea alata* L.). *J. Root Crops*, 37(1): 54-59.
- Ezeocha, V. C., Omodamiro, R. M., Oti, E. and Chukwu, G. O. 2011. Development of trifoliate yam: cocoyam composite flour for fufu production. *J. Stored Prod. Postharvest Res.*, 2(9): 184-188.
- Falade, K. O., Ighrawe, E. and Ikoyo, S. S. 2011. Physico-chemical characteristics of non-irradiated and -irradiated yams cultivars (*Dioscorea rotundata*, *Dioscorea alata*) and sweet potato (*Ipomoea batatas* (L) Lam). *Int.*

- J. Food Sci. Technol.*, 46(6): 1186-1193.
- Ghosh, S., Ahire, M., Patil, S., Jabgunde, A., Dusane, M. B., Joshi, B. N., Pardesi, K., Jachak, S., Dhavale, D. D. and Chopade, B. A. 2012. Antidiabetic activity of *Gnidia glauca* and *Dioscorea bulbifera*: potent amylase and glucosidase inhibitors. *Evidence-Based Compl. Alternative Medicine* 2012 (online).
- Ho, M. L., Hsieh, Y. S., Chen, J. Y., Chen, K. S., Chen, J. J., Kuo, W. H., Lin, S. J. and Chen, P. N. 2011. Antimetastatic potentials of *Dioscorea nipponica* on melanoma *in vitro* and *in vivo*. *Evidence-Based Compl. Alternative Medicine* 2011 (online).
- Hsu, C. K., Yeh, J. Y. and Wei, J. H. 2011. Protective effects of the crude extracts from yam (*Dioscorea alata*) peel on tert-butylhydroperoxide-induced oxidative stress in mouse liver cells. *Food Chem.*, 126(2): 429-434.
- Hsu, W. H., Lee, B. H. and Pan, T. M. 2011. Effects of red mould *Dioscorea* on oral carcinogenesis in DMBA-induced hamster animal model. *Food Chem. Toxicol.*, 49(6): 1292-1297.
- Hsu, Y. W., Hsu, L. C., Liang, Y. H., Kuo, Y. H. and Pan, T. M. 2011. New bioactive orange pigments with yellow fluorescence from monascus-fermented *Dioscorea*. *J. Agric. Food Chem.*, 59(9): 4512-4518.
- Jiang, Q., Gao, W., Li, X., Zhang, J. and Huang, L. 2011. Effect of acid-ethanol on the physicochemical properties of *Dioscorea opposita* Thunb. and *Pueraria thomsonii* Benth. starches. *Starch*, 63(5): 302-310.
- Jonathan, G., Ajayi, I. and Omitade, Y. 2011. Nutritional compositions, fungi and aflatoxins detection in stored 'gbodo' (fermented *Dioscorea rotundata*) and 'elubo ogede' (fermented *Musa paradisiaca*) from South western Nigeria. *African J. Food Sci.*, 5(2): 105-110.
- Jova, M. C., Kosky, R. G., Cabrera, A. R., Feria, M. D., Perez, M. B., Vega, V. M. and Torres, J. L. 2011. Performance of yam microtubers from temporary immersion system in field conditions. *African J. Biotechnol.*, 10(46): 9268-9271.
- Kaladhar, D. S. V. G. K., Rao, V. N., Barla, S. and Harasreeramulu, S. 2010. Comparative antimicrobial studies of *Dioscorea hamiltonii* Hook F tubers with *Azadirachta indica* stem. *J. Pharmaceutical Sci. Technol.*, 2(8): 284-287.
- Lee, B. H., Hsu, W. H. and Pan, T. M. 2011. Inhibitory effects of *Dioscorea* polysaccharide on TNF- α -induced insulin resistance in mouse FL83B cells. *J. Agric. Food Chem.*, 59(10): 5279-5285.
- Liu, H., Chou, G. X., Wang, J. M., Ji, L. L. and Wang, Z. T. 2011. Steroidal saponins from the rhizomes of *Dioscorea bulbifera* and their cytotoxic activity. *Planta Medica*, 77(8): 845-848.
- Maithili, V., Dhanabal, S., Mahendran, S. and Vadivelan, R. 2011. Antidiabetic activity of ethanolic extract of tubers of *Dioscorea alata* in alloxan induced diabetic rats. *Indian J. Pharmacol.*, 43(4): 455-459.
- Marcos, J., Cornet, D., Bussiere, F. and Sierra, J. 2011. Water yam (*Dioscorea alata* L.) growth and yield as affected by the planting date: experiment and modelling. *European J. Agron.*, 34(4): 247-256.
- Mbiantcha, M., Kamanyi, A., Teponno, R. B., Tapondjou, A. L., Watcho, P., Nguelefack, T. B., Kamanyi, A., Teponno, R. B., Tapondjou, A. L., Watcho, P. and Nguelefack, T. B. 2011. Analgesic and anti-inflammatory properties of extracts from the bulbils of *Dioscorea bulbifera* L. var *sativa* (*Dioscoreaceae*) in mice and rats. *Evidence-Based Compl. Alternative Medicine* 2011 (online).
- Narina, S. S., Buyyarapu, R., Kottapalli, K. R., Sartie, A. M., Ali, M. I., Robert, A., Hodeba, M. J. D., Sayre, B. L. and Scheffler, B. E. 2011. Generation and analysis of expressed sequence tags (ESTs) for marker development in yam (*Dioscorea alata* L.). *Genomics* 12(100).
- Ogunlade, I., Olaifa, O., Adeniran, O. A. and Ogunlade, A. O. 2011. Effect of domestic processing on the amino

- acid profile of *Dioscorea rotundata* (white yam). *African J. Food Sci.*, 5(1): 36.
- Onuegbu, N. C., Iwuoha C. I., Owuamanam, C. I. and Ihediohanma, N. C. 2011. Effects of boiling solution (trona) concentration and time on the proximate composition and physicochemical properties of flour from three-leaved yam (*Dioscorea dumetorum* Pax) tubers. *African J. Food Sci.*, 5(1): 1-5.
- Peng, K. Y., Horng, L. Y., Sung, H. C., Huang, H. C. and Wu, R. T. 2011. Antosteoporotic activity of *Dioscorea alata* L. cv. Phyto through driving mesenchymal stem cells differentiation for bone formation. *Evidence-Based Comple. Alternative Medicine* 2011 (online).
- Petro, D., Onyeka, T. J., Etienne, S. and Rubens, S. 2011. An intraspecific genetic map of water yam (*Dioscorea alata* L.) based on AFLP markers and QTL analysis for anthracnose resistance. *Euphytica*, 179(3): 405-416.
- Rajitha, M., Dhanya, J., Hegde, V., Makeshkumar, T. And Jeeva, M. L. 2011. Hot water treatment; an efficient method for elimination of yam mild mosaic virus in *Dioscorea alata*. *J. Root Crops*, 37(1): 60-64.
- Sartie, A. and Robert, A. 2011. Development of mapping populations for genetic analysis in yams (*Dioscorea rotundata* Poir. and *Dioscorea alata* L.). *African J. Biotechnol.*, 10(16): 3040-3050.
- Satya, N., Ramesh, B., Kameswara, K., Alieu, S., Mohamed, A., Asiedu, R., Mignouna, H., Brian, L. S. and Brian, E. S. 2011. Generation and analysis of expressed sequence tags (ESTs) for marker development in yam (*Dioscorea alata* L.). *Genomics*, 12(1): 100.
- Shi, Y. C., Liao, J. W. and Pan, T. M. 2011. Antihypertriglyceridemia and anti-inflammatory activities of monascus-fermented *Dioscorea* in streptozotocin-induced diabetic rats. *Expl. Diabetes Res.*, 2.
- Su, P. F., Li, C. J., Hsu, C. C., Benson, S., Wang, S. Y., Aravindaram, K., Sunney, I., Chan Wu, S. H., Yang, F. L., Huang, W. C., Shyur, L. F. and Yang, N. S. 2011. *Dioscorea* phytocompounds enhance murine splenocyte proliferation *ex vivo* and improve regeneration of bone marrow cells *in vivo*. *Evidence-Based Compl. Alternative Medicine* 2011 (online).
- Susan John, K. 2011. Soil fertility management strategies in edible yams and aroids: a review. *J. Root Crops*, 37(1): 3-18.
- Xu, Y., Yang, F., Tian, X., Zhang, W., Wang, X. and Ma, G. 2011. Different patterns of transcriptomic response to high temperature between diploid and tetraploid *Dioscorea zingiberensis* C. H. *African J. Biotechnol.*, 10(44): 8847-8854.
- Zhang, L., Bai, B., Liu, X., Wang, Y., Li, M. and Zhao, D. 2011. a-glucosidase inhibitors from chinese yam (*Dioscorea opposita* Thunb.). *Food Chem.*, 126(1): 203-206.
- Zhao, J., Zheng, B., Li, Y., Shan, T., Mou, Y., Lu, S., Li, P. and Zhou, L. 2011. Enhancement of diepoxin production by yeast extract and its fractions in liquid culture of berkleasmium-like endophytic fungus Dzf12 from *Dioscorea zingiberensis*. *Molecules*, 16(1): 847-856.

AROIDS

- Adekiya, A. O., Ojeniyi, S. O., Agbede, T. M., Ojeniyi, S. O. and Agbede, T. M. 2011. Soil physical and chemical properties and cocoyam yield under different tillage systems in a tropical alfisol. *Expl Agric.*, 47(3): 477-488.
- Choudhury, S. R., Brahmanand, P. S. and Aswani Kumar. 2011. Changes in leaf water potential, chlorophyll content and runner yield of swamp taro (*Colocasia esculenta*) grown in waterlogged environment. *J. Root Crops*, 37(1): 32-36 .
- Deng, Y., Zhu, Y., Wang, P., Zhu, L., Zheng, J., Li, R., Ruan, L., Peng, D. and Sun, M. 2011. Complete genome

- sequence of *Bacillus subtilis* BSn5, an endophytic bacterium of *Amorphophallus konjac* with antimicrobial activity for the plant pathogen *Erwinia carotovora* subsp. *carotovora*. *J. Bact.*, 193(8): 2070-2071.
- Gille, S., Cheng, K., Skinner, M. E., Liepman, A. H., Wilkerson, C. G. and Pauly, M. 2011. Deep sequencing of voodoo lily (*Amorphophallus konjac*): an approach to identify relevant genes involved in the synthesis of the hemicellulose glucomannan. *Planta*, 234(3): 515-526.
- Jyothi, P. S., Konwar, B. K. and Ashok Kumar. 2011. Physio-chemical analysis of *Colocasia esculenta* starch. *J. Root Crops*, 37(1): 86-87.
- Kobayashi, N. I., Tanoi, K., Hirose, A., Saito, T., Noda, A., Iwata, N., Nakano, A., Nakamura, S. and Nakanishi, T. M. 2011. Analysis of the mineral composition of taro for determination of geographic origin. *J. Agric. Food Chem.*, 59(9): 4412-4417.
- Lima, T. B., Silva, O. N., Migliolo, L., Souza-Filho, C. R., Goncalves, E. G., Vasconcelos, I. M., Oliveira, J. T. A., Amaral, A. C. and Franco, O. L. 2011. A Kunitz proteinase inhibitor from corms of *Xanthosoma blandum* with bactericidal activity. *J. Natural Prod.*, 74(5): 969-975.
- Ndabikunze, B. K., Talwana, H. A. L., Mongi, R. J., Issa-Zacharia, A., Serem, A. K., Palapala, V. and Nandi, J. O. M. 2011. Proximate and mineral composition of cocoyam (*Colocasia esculenta* L. and *Xanthosoma sagittifolium* L.) grown along the lake Victoria Basin in Tanzania and Uganda. *African J. Food Sci.*, 5(4): 248-254.
- Nedunchezhiyan, M., Jata, S. K., Mukherjee, A. and Misra, R. S. 2011. Impact of growth regulators on cormel production and dormancy breaking in elephant foot yam (*Amorphophallus paeoniifolius* (Denst.) Nicolson). *J. Root Crops*, 37(1): 24-28.
- Nguyen, T. A., Do, T. T., Nguyen, T. D., Pham, L. D. and Nguyen, V. D. 2011. Isolation and characteristics of polysaccharide from *Amorphophallus corrugatus* in Vietnam. *Carbohydr. Polym.*, 84(1): 64-68.
- Nhan, N. T. H., Hon, N. V. and Preston, T. R. 2011. Studies on ensiling of *Tithonia diversifolia* and taro (*Colocasia esculenta*) and feeding the silage to fattening pigs as partial replacement of a basal diet of rice bran, broken rice, soybean meal and fish meal. *Livestock Res. rural Dev.*, 23(5).
- Okpala, L. C. and Okoli, E. C. 2011. Nutritional evaluation of cookies produced from pigeon pea, cocoyam and sorghum flour blends. *African J. Biotechnol.*, 10(3): 433-438.
- Patel, J. C., Patel, N. B., Saravaiya, S. N., Desai, K. D. and Tekale, G. S. 2011. Effect of spacing and corm size on growth and yield of elephant foot yam (*Amorphophallus paeoniifolius*) under south Gujarat conditions. *J. Root Crops*, 37(1): 88-89.
- Ravi, V., Hridya, A. C., Suchithra, C. S. and Byju, G. 2011. Rapid method for determining total chlorophyll, chlorophyll a and b and carotene in leaves of elephant foot yam using SPAD meter. *J. Root Crops*, 37(1): 29-31.
- Sankaran, S., Singh, N. P., Jai Prakash, Santhosh, B., and Nedunchezhiyan, M. 2011. Production of seed corms through cormels in elephant foot yam (*Amorphophallus paeoniifolius* (Denst.) Nicolson). *J. Root Crops*, 37(1): 86-87.

TUBER CROPS

- Arogundade, L. A., Eromosele, C. O., Eromosele, I. C. and Ademuyiwa, O. 2011. Rheological properties of African yam bean (*Sphenostylis stenocarpa* Hochst. Ex A. Rich.) calcium proteinate and isoelectric protein isolates. *LWT Food Sci. Technol.*, 44(2): 524-534.
- Champagne, A., Hilbert, G., Legendre, L. and Lebot, V. 2011. Diversity of anthocyanins and other phenolic

- compounds among tropical root crops from Vanuatu, South Pacific. *J. Food Comp. Anal.*, 24(3): 315-325.
- Khatun, S., Cakilcioglu, U. and Chatterjee, N. C. 2011. Phytochemical constituents vis-a-vis histochemical localization of forskolin in a medicinal plant *Coleus forskohlii* Briq.. *J. Medicinal Pl. Res.*, 5(5): 711-718.
- Khatun, S., Chatterjee, N. C. and Cakilcioglu, U. 2011. Antioxidant activity of the medicinal plant *Coleus forskohlii* Briq. *African J. Biotechnol.*, 10(13): 2530-2535.
- Mudalige, C. P., Jyothi, N. S. G., Chikabire, U. and Girisha, S. T. 2011. Biocontrol of root-rot disease of *Coleus forskohlii* and *Coleus amboinicus* by using plant extracts as antifungal agents. *Archives Phytopathol. Pl. Prot.* 44(9): 888-893.
- Rajamma, P. K. Bibliography on tropical tuber crops January-June 2011. *J. Root Crops*, 37(1): 90-99.
- Ravi, V., Suja, G. and Ravindran, C. S. 2011. Method for leaf area estimation in Chinese potato (*Plectranthus rotundifolius*). *J. Root Crops*, 37(1): 37-40.
- Salau, B. A., Ketiku, A. O., Ajani, E. O., Ezima, E. N., Idowu, G. O. and Soladoye, M. O. 2008. Iodine contents of some selected roots/tubers, cereals and legumes consumed in Nigeria. *African J. Biotechnol.*, 7(23): 4328-4330.
- Ugwuoke, K. I., Ukwueze, B. O. and Ogwulumba, S. I. 2011. Powdery leaf extracts for control of root knot nematode in African Yam Bean. *African Crop Sci. J.*, 19(2): 131-136.
- Vimala, B. and Bala Nambisan. 2011. Evaluation of yam bean for yield and proximate composition. *J. Root Crops*, 31(1): 19-23.

Compiled by
P.K. Rajamma
Librarian
Central Tuber Crops Research Institute,
Sreekariyam, Thiruvananthapuram 695 017
Kerala, India